

Primenergy REQUEST FOR QUOTATION

Customer: _____ **Date:** _____
Address: _____ **Phone:** _____
_____ **Contact:** _____
_____ **Unit:** _____ **Phone:** _____
Address: _____ **Contact:** _____
_____ **Response Req'd by:** _____

INDIRECT HEATER (LINE HEATER)

1. Volume of Gas / 24 Hrs. _____ (Hrs. of Operation) _____
2. Volume of Fluid / 24 Hrs. _____ (Hrs. of Operation) _____
3. Shut-in Well Pressure _____
4. Operating Pressure _____
5. Operating Temperature _____
6. Gravity Crude _____
7. Sales Gas Pressure _____
8. Coil Bundle Working Pressure
3,000 PSI _____ 6,000 PSI _____ 10,000 PSI _____

STANDARD ITEMS INCLUDE:

Temperature Controller
Thermometer

OPTIONAL ITEMS INCLUDE:

Automatic Shut-Down Reset
Flame Arrestor
Long Nose Choke
Single or Split Coil
Skid Mounted
Thermo-Pak Type

PLEASE CHECK OPTIONAL ITEM DESIRED BELOW:

- [] Calcium Chloride Water (Deposits)
- [] Glycol Formulated (Freezing) 220°F
- [] Steam Bath (245°F 15 PSIG)

Primenergy REQUEST FOR QUOTATION

| | |
|------------------------|---------------------------------|
| Customer: _____ | Date: _____ |
| Address: _____ | Phone: _____ |
| _____ | Contact: _____ |
| _____ | _____ |
| Unit: _____ | Phone: _____ |
| Address: _____ | Contact: _____ |
| _____ | Response Req'd by: _____ |
| _____ | _____ |

SEPARATORS

1. Volume of Oil / 24 Hrs. _____ (Hrs. of Operation) _____
2. Volume of Gas / 24 Hrs. _____ (Hrs. of Operation) _____
3. Volume of Water / 24 Hrs. _____ (Hrs. of Operation) _____
4. Operating Temperature _____
5. Operating Pressure _____
6. Shut-in Well Pressure _____
7. 2 or 3 Phase _____
8. Vertical or Horizontal _____
9. Percentage of H₂S Conditions (if applicable) _____
10. API Gravity _____

STANDARD ITEMS INCLUDE:

- | | |
|------------------------------------|--|
| 1 Valve for 2-Phase Vessel | 2 Level Controls for 3-Phase |
| 1 Level Control for 2-Phase Vessel | Mist Extractor S.S. Wire Mesh or Vane Type |
| Relief Valve | Manway |
| Rupture Head with Disc | A.S.M.E. Coded |
| Skid Mounted (Horizontal) | 2 Valves for 3-Phase |

PLEASE CHECK SPECIAL APPLICATIONS NEEDED:

- | | |
|---|-------------------------------------|
| <input type="checkbox"/> Paraffin | <input type="checkbox"/> Thermo-Pak |
| <input type="checkbox"/> Hydrates | |
| <input type="checkbox"/> Sand | |
| <input type="checkbox"/> H ₂ S Condition | |
| <input type="checkbox"/> Foam | |
| <input type="checkbox"/> Filter (Solids or fine mists or fog) | |

Primenergy **REQUEST FOR QUOTATION**

| | |
|------------------------|---------------------------------|
| Customer: _____ | Date: _____ |
| Address: _____ | Phone: _____ |
| _____ | Contact: _____ |
| _____ | _____ |
| Unit: _____ | Phone: _____ |
| Address: _____ | Contact: _____ |
| _____ | Response Req'd by: _____ |
| _____ | _____ |

GLYCOL DEHYDRATOR FOR GAS

1. Volume of Gas. _____
2. Specific Gravity of Gas _____
3. Operating Pressure _____
4. Sale Gas: _____
Pressure _____
Temperature _____
H₂O Lbs./MMSCF _____
(How much H₂O in gas will pipeline accept, normally 7 lb. gas)
5. A.S.M.E. Coded _____
6. Vertical-Horizontal (Tower or Contactor. We prefer Horizontal). _____
7. Flowing Temperature (Inlet) _____

STANDARD ITEMS INCLUDE:

Bubble Cap Tray (Vertical)
Glycol Pump
Heat exchanger
Reboiler
High Pressure Filter
Skid Mounted (Horizontal)

OPTIONAL ITEMS:

Inlet Scrubber
Glycol-Distillate Separator
Extra Heat Exchanger
Stand-By Glycol Pump

Primenergy **REQUEST FOR QUOTATION**

| | |
|------------------------|---------------------------------|
| Customer: _____ | Date: _____ |
| Address: _____ | Phone: _____ |
| _____ | Contact: _____ |
| Unit: _____ | _____ |
| Address: _____ | Phone: _____ |
| _____ | Contact: _____ |
| _____ | Response Req'd by: _____ |

VAPOR RECOVERY UNIT

1. Volume of Gas. _____
2. Discharge of Pressure _____
3. Sour Gas _____
4. GPM of Gas (Gallons of Liquid per Thousand Cubic Feet) in Gas _____

STANDARD ITEMS INCLUDE:

Automatically Operated
Inlet Scrubber
Liquid Transfer System
Compressor (Air or Water Cooled)
Skid Mounted
Control & Safety Devices
Explosion -Proof